

Stainless Steel Railing Solutions




Typical specification: Railing height:1000mm/36''/42'' Glass:10/12/5+1.14=5/6+1.14+6mm Rod:12mm Wire:4mm Material:304s.s./316L s.s. Surface finish:mirror/satin





Au1/Au2/Au3





















-14DU/14DR/20DR


























022/027/031









Cheapest stainless steel glass balustrade Strong, cheap, model !!!!!



RC1/RC2/SC1 RC1 HFH-C09 HFH-C12 HFH-C04 HFH-C14 HHS-04 HHW-03 HHS-01 HFH-C23 HHS-05 Chemical anchor expansion bolt timber bolt used for timber structure floor used for concrete HHS-06 floor





024/025/032 024 HFH-C33 HFH-C38 HFH-C37 HFH-C35 HFW-06 HHS-11 HHW-02 wire HFH-C57 **Baluster** Chemical anchor expansion bolt timber bolt used for timber recommended to **HBS-24** used for concrete public project floor structure floor 025 -HFH-C04 HFH-C09 HFH-C12 HFH-C14 0 HHS-01 HHW-03 wire HFH-C23 Chemical anchor expansion bolt timber bolt used for timber recommended to **Baluster** used for concrete public project floor **HBS-25** structure floor 032 HFH-C33 HFH-C37 HFH-C35 HFH-C38 HFW-06 HHS-11 HHW-02 wire HFH-C57



R<u>12</u>



















R15



Glass bracket solutions





Glass bracket 05



Glass bracket 06



Glass bracket 07









Modular staircase solutions


Material:

Beam: Q235 carbon steel/304s.s/316s.s. Step: laminated tempered glass/solid timber Connect: all parts connected by bolt, no welding needed Size: size could be customized Strength: could afford 4 person(250kg) step on one tread at the same time outdoor stair could afford 6 preson (350kg) on one tread.


The stair and balustrade manufacturer in China, with **12** years export experience. Our **advantage**: good price! good price! good price! good quality! good quality! good quality!







Floating staircases-New design























HS-DP stringer-WT-06










HS-RHS beam-GT-23



HS-RHS beam-WT-24



HS-RHS beam-WT-23





































HS-spiral-GT-06



HS-spiral-WT-bar

HS-spiral-SWT-06B







HS-spiral-CGT-06














Typical specification: Glass height:2000mm Glass thickness:8/10/12mm Accessory material:304s.s./316L s.s. Surface finish:mirror/satin Glass material:heat soaked thermally tempered glass. Glass color: clear or frosted glass



















